

LSR
MSR
W
N
O
L
O
N
C
Y
C

STEEL
CORE
DESIGNS





The Cyclone rifle offers uncompromising performance and accuracy. It is both ergonomically pleasing with the unparalleled build quality our customers have come to expect. Ideal for Law Enforcement, Military and Government Agency application. It will not disappoint the most discerning of civilian target shooters either.



CYCLONE

LSR MSR

7.62 / 308 - 338 Lap Mag




High tensile steel receiver

Adjustable cheek

Adjustable butt plate

Full length picatinny rail

Match grade barrel



Corrosion / wear
resistant coating

Fully adjustable
bi-pod as standard

Muzzle brake as standard

Folding stock

2-point safety

Quick release
adjustable monopod

2-stage trigger
drop test compliant

INNOVATION . EXCELLENCE



Specifications

	LSR	MSR
Calibre	7.62 x 51 NATO	8.6 x 70 (.338 Lapua Magnum NATO)
¹ Engagement Range	Short Barrel > 600 m Long Barrel > 1,000 m	Short Barrel > 1,250 m Long Barrel > 1,800 m
² Accuracy	<1/2 MOA (<.15 Mil)	<1/2 MOA (<.15 Mil)
Magazine	10 Rounds	10 Rounds
Short Barrel (SB) Length	20" (50.1 cm)	20" (51 cm)
Long Barrel (LB) Length	26" (66 cm)	27" (69 cm)
Barrel Twist	1:11 (1:27.9 cm)	1:10 (1:24.5 cm)
SB Overall Length	41" (104 cm)	43" (109 cm)
SB Folded Length	32" (81 cm)	33" (84 cm)
LB Overall Length	47" (119 cm)	50" (127 cm)
LB Folded Length	38" (96 cm)	40" (101 cm)
³ Operational Weight	15.2 lb (6.85 kg)	15.9 lb (7.21 kg)
Stock Colours	Black and Dark Earth	Black and Dark Earth
Muzzle Brake	Std. (add .46 lb (.21 kg))	Std. (add .46 lb (.21 kg))
Bipod	Std. (add 1 lb (.45 kg))	Std. (add 1 lb (.45 kg))
Field Tool Kit	Std.	Std.
Field Cleaning Kit	Std.	Std.

Options

Tactical Day Scope and Rings
Night Vision and LADS
Infra-Red and TI Sights
Waterproof Case
Drag Bag
Sound Suppressor
Sling
Training

Other Models

HSR 12.7 x 99 (50 BMG)

Notes to above

¹ Dependent upon ammunition, shooter skills and visibility.

² Using match grade ammunition, group size as defined by SCD is measured from shot centre to centre with a four shot group at 100 metres.

³ Weight will vary according to accessories and specification.

Steel Core Designs Ltd. operate a policy of continual improvement and reserves the right to modify specifications from those stated.



Steel Core Designs Ltd
PO Box 589, Tonbridge, Kent, TN9 9NU
Tel: +44 (0)1732 887165
Email: info@steelcoredesigns.com
www.steelcoredesigns.com

