

The Cyclone HSR rifle offers uncompromising performance and accuracy. Ergonomically pleasing with the unparalleled build quality our customers have come to expect. This weapon is ideally suited for accurate long range interdiction using ball, tracer, AP, API ammunition against hard targets.





CYCLONEHSR

50 BMG

High tensile steel receiver

Adjustable butt plate

Full length picatinny rail

Corrosion / wear resistant coating

Match grade barrel

Muzzle brake as standard

Folding stock

Optional adjustable cheek

Quick release adjustable monopod

2-point safety

2-stage trigger drop test compliant

Fully adjustable bi-pod as standard

INNOVATION . EXCELLENCE



Specifications HSR

Calibre 12.7 x 99 (50 BMG)

¹ Engagement Range 2200 m

² Accuracy 1/2 MOA (.15 mil)

Magazine 5 Rounds
Barrel Length 29" (74cm)
Barrel Twist 1:15 (1:38.1 cm)
Overall Length 57" (145 cm)
Folded Length 47" (121 cm)

3 Operational Weight 32 lbs (14.5 kg)

Stock Colour Black and Dark Earth

Muzzle BrakeStd.BipodStd.Field Tool KitStd.Field Cleaning KitStd.

Options

Training

Tactical Day Scope and Rings Night Vision and LADS Infra-red and TI Sights Waterproof Case Drag Bag Sound suppressor

Notes to above

- ¹ Dependant upon ammunition, shooter skills & environment.
- ² Using match grade ammunition, group size as defined by SCD is measured from shot centre to centre with a four shot group at 100 metres.
- ³ Weight will vary according to accessories and specification.

Steel Core Designs Ltd. operate a policy of continual improvement and reserves the right to modify specifications from those stated.



Steel Core Designs Ltd PO Box 589, Tonbridge, Kent, TN9 9NU Tel: +44 (0)1732 887165 Email: info@steelcoredesigns.com

www.steelcoredesigns.com

