

SC-76
SC-86

THUNDERBOLT

STEEL
CORE
DESIGNS



THUNDERBOLT


SC-76
SC-86



The Thunderbolt rifle offers uncompromising performance and accuracy. Featuring our unique polymer coated rifle stock, designed to excel in the harshest operating environments experienced by the modern day soldier. It is both ergonomically pleasing with the unparalleled build quality our customers have come to expect. Ideal for Law enforcement, Military and Government Agency application.



7.62 / 308 - 338 Lap Mag



High tensile steel receiver

Optional adjustable cheek

Adjustable butt plate

Full length picatinny rail

Match grade barrel

Folding stock

Corrosion / wear resistant coating

Fully adjustable bi-pod as standard

Muzzle brake as standard

2-point safety

2-stage trigger drop test compliant

Quick release adjustable monopod

INNOVATION . EXCELLENCE



Specifications

Calibre

¹ Engagement Range

² Accuracy

Magazine

Short Barrel (SB) Length

Long Barrel (LB) Length

Barrel Twist

SB Overall Length

SB Folded Length

LB Overall Length

LB Folded Length

³ Operational Weight

Stock Colours

Muzzle Brake

Bipod

Field Tool Kit

Field Cleaning Kit

SC-76

7.62 x 51 NATO

Short Barrel 600 m

Long Barrel 1,000 m

1/2 MOA (.15 mil)

10 Rounds

20" (50.1 cm)

26" (66 cm)

1:11 (1:27.9 cm)

41" (104 cm)

32" (81 cm)

47" (121 cm)

38" (96 cm)

15.7 lbs (7.14 kg)

Black and Dark Earth

Std. (add .46 lb (.21 kg))

Std. (add 1 lb (.45 kg))

Std.

Std.

SC-86

8.6 x 70 (.338 Lapua Magnum NATO)

Short Barrel 1200 m

Long Barrel 1800 m

1/2 MOA (.15 mil)

10 Rounds

20" (51 cm)

27" (71 cm)

1:10 (1:24.5 cm)

43" (109 cm)

33" (84 cm)

50" (127 cm)

40" (102 cm)

17 lbs (7.7 kg)

Black and Dark Earth

Std. (add .46 lb (.21 kg))

Std. (add 1 lb (.45 kg))

Std.

Std.

Options

Tactical Day Scope and Rings

Night Vision and LADS

Infra-Red and TI Sights

Waterproof Case

Drag Bag

Sound Suppressor

Sling

Training

Notes to above

¹ Dependent upon ammunition, shooter skills and visibility.

² Using match grade ammunition, group size as defined by SCD is measured from shot centre to centre with a four shot group at 100 metres.

³ Weight will vary according to accessories and specification.

Steel Core Designs Ltd. operate a policy of continual improvement and reserves the right to modify specifications from those stated.



Steel Core Designs Ltd
PO Box 589, Tonbridge, Kent, TN9 9NU
Tel: +44 (0)1732 887165
Email: info@steelcoredesigns.com
www.steelcoredesigns.com

